

ለጥናታዊ ምርመራዎች ለሚያስፈልጉት ሁሉም ሰነዶች ማስቀመጥ ይገባል፡፡

CLΔ²Δ^C Δ²Δ²Δ²Δ²Δ²

[illegible]

- a) **Δ/ΛΓΔΠ 'δ'α'σ'ς - 'β'α'λ'ι'σ'ς' Γ' ΝΟΝΔ'Υ'ΥΛ'Υ' SK 26-001 - Λ'Λ'Λ'Λ'σ
40 'ε'ΑΔ' Δ'σ'β'Α'Λ'**

CLASIFICACIÓN DE LOS RIESGOS

ከበረከት ሥርዓት ጀምሮ ምስጋናውን ይጥቅማል፡

- [illegible]

$L\Delta\triangleright^<\supset^{\omega}\neg\triangleleft\wedge\Gamma^c\triangleright d\sigma^{\omega}\triangleright^{\omega}\triangleright\wedge^{\omega}\neg\triangleleft^{\omega}\triangleright^{\omega}>^{\omega}$:

- ልዩጥራት ለሌሎች ለማስተላለፍ ያለባቸው ምርቶችን
- ለጥራት ማረጋገጫ ስርዓት ለማስተላለፍ ያለባቸው ምርቶችን ለማረጋገጥ ያለባቸው ምርቶችን

ለፍልጋ ሲቦቦ PD 26-03

ΛΓΔ^{9b}ΠΖΡ^{9b}: ΛΔΖ▷^c Ξ^bΓΔ ΓΓ^c

$\Delta \triangleleft \dot{\Lambda}^{\text{rs}} : P^{\text{rs}} \delta \triangleright \Pi / L^{\text{rs}} \quad L \Delta \vdash \Delta < \triangleright \vdash \vdash \vdash \vdash \vdash \vdash$

ከባለፈው ጊዜ ጀምሮ የተካሄደው ስርዓት፡

- [illegible]

CL_A² ⋅ Δ₂² ⋅ Δ₃² ⋅ Δ₄² ⋅ Δ₅²

[illegible]

- የህግ-ጥፋት ምርመራ ሲካሄድ የሚገኝ ልዩ ልዩ የሥነ ምግባር ምርመራ ማድረግ
- ለፍትሕ ምርመራ ሲካሄድ የሚገኝ ልዩ ልዩ የሥነ ምግባር ምርመራ ማድረግ

c) **Δ/ΛΓ▷'δλσ^π – σ▷'π'β'σ^π μδΓ^c – ATCO Loop Lots**

በብሉት ነገር ደጋግተኛነትን ለማሳደግ ለሚችሉት ሁሉም ሰላማዊ ሰራተኞች ምክር ቤቱ በብሉት ሰላማዊነት ይታዘብ።

σ₂Δ₂Δ^{5b}Γ^c, bNL₂ Δ^c Δ₂Δ^{5b}Δ^{5b} bNLσ^cΔ^c.

[illegible]

[illegible]

