



Project Name:	Supply of Sewer Truck
Addendum Number:	1
Project ID:	2026-RFT-004

The following change(s) in the Tender Documents are effective immediately.
The Addendum forms part of the Contract Documents. The changes outlined in this addendum shall take precedence over the original contract document.

Please find below a revised timeline

Milestones	Date
Issue RFT	February 9, 2026
Last Day of Inquiries	February 23, 2026 at 3:00 PM EST
Tender Submission Deadline	February 26, 2026 at 3:00 PM EST
Contract Award	March 11, 2026
First Sailing Terminal Cut-off (tentative)	May 18, 2026
Second Sailing Terminal Cut-off (tentative)	July 3, 2026
Third Sailing Terminal Cut-off (tentative)	August 17, 2026



Please find below a revised specification list in Appendix B

Appendix B – Required Specifications

SEWER TRUCK Checklist

The list below is based on required minimum specifications for each equipment. The City has the right to reject alternatives at its sole discretion. Bidders are therefore encouraged to bid on the equipment being specified.

Note:

Some features/accessories may not be available as factory options or standard equipment and must be supplied and installed by the dealer separately. These costs are to be included in the tender. The equipment must be supplied with all related equipment manuals and warranty information/schedules.

Please answer YES or NO to each requirement/ retrofitting listed below.

If the requirement could not be met, please specify the alternative proposed.

Specifications – (1) Sewer Truck		
Specification Required	Specification Met	Proposed Alternative (If requirement not met)
considered fit for use in Arctic Environment (-50C to 15C)	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
2025 or newer model year	YES <input type="checkbox"/> NO <input type="checkbox"/> Specify: _____	MANDATORY
Cummins Engine B6.7 325HP Allison Transmission 3500 RDS or Equivalent	YES <input type="checkbox"/> NO <input type="checkbox"/> Specify: _____	MANDATORY
Mileage: 15,000KM or less	YES <input type="checkbox"/> NO <input type="checkbox"/> Specify: _____	MANDATORY
18000 lbs front axle	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY

46000lbs rear axle	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Driver controlled traction differential-both tandem rear axles	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Rearside Hose : Omegareel remote controlled vacuum truck hose reel or Equivalent Hydraulic operated and mountable	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Air brake package	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Rear and front tow hooks	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Grade 8 threaded hex headed frame fasteners	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
2-1/2 inch fender extensions	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Dual amber electronic strobe lights with stainless steel brackets	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
RH and LH rosco eye-max upper LP ball stud mount crossview heated mirrors (5365IH) with tripod brackets	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Composite exterior sun visor	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Led aerodynamic marker lights lights, Super bright LED work light, step mounted and rear light,	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY
Quilted winterfront	YES <input type="checkbox"/>	NO <input type="checkbox"/>	MANDATORY

Winter Package Glycol heater prob for hydraulic tank	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
First AID kit and Fire Extinguisher	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Basic Coverage: no less than 3 years or 60,000 km	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Prewired for communication radio -Power and Antenna hook up wiring for Motorola XPR 2500	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Heater, defroster and air conditioner	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Dual driver and passenger seat armrests	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
AM/FM Radio	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Cab Colour : Blue preferred or White	YES <input type="checkbox"/> NO <input type="checkbox"/> Specify: _____	MANDATORY
Minimum 3000-GAL Tank	YES <input type="checkbox"/> NO <input type="checkbox"/> Specify: _____	MANDATORY
Backup Camera	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Heads : Steel 5/16" X 72" Diameter ASME flanged and dished heads	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY

<p>Shell :</p> <p>A516-70 Steel -1/4" X 16' Shell – 184"</p> <p>Overall length – Double Butt welded</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Removable Floor Mats</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Additional Hold back straps</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Extreme HVI-13 low temp hydraulic oil</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Extra cab heater</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Rear Door:</p> <p>side hinged with 4" heated jacket discharge port, 4" bronze sliding stem valve and cab air control.</p> <p>Include 4" Type F aluminum dust cap(s) for all discharge ports.</p> <p>4" male cam lock</p> <p>Heated manual control dump valve</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>
<p>Load Port :</p> <p>3 inch) heated jacket load port with internal riser, deflector, 76 mm (3 inch) bronze sliding stem valve,</p> <p>76 mm (3 inch) male camlock, 76 mm (3 inch) dust cap</p>	<p>YES <input type="checkbox"/> NO <input type="checkbox"/></p>	<p>MANDATORY</p>

Float guage : Driver side tank level gauge with internal tank float	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Leaf type suspension preferred NO AIR RIDE	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Fenders: 2 – Full length 1/8” Checker Plate hose tray fenders with mudflaps and anti-sail brackets	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Block heater	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Automatic Tire Chain	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Dash mounted PTO switch with indicator light	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
BACK UP ALARM: Electrically operated conforming to SAE recommendation J994b. Equivalent to “Type C” 97 DB. Device must be designed to withstand vibration, moisture, and extreme temperatures	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Hoses : 2 - 3” X 15’ EPDM Suction Hose c/w “c” and “E” camlock fittings	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Lights & Wiring: Clearance & Marker Lights, Stop Lights, Turn Lights, Brake Lights,	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY

Reflectors and Backup Alarm in accordance with Canadian Motor Vehicle Safety Standards		
Pump: Fruitland 500 Vacuum Pump	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Hydraulic Hoses : Parker Hannifin high pressure hose and fittings	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Warming System: Complete liquid warming system tied into truck engine with shut off ball valves, sheathed heavy duty heater line and incorporating steel pipe mounted to the truck frame to warm the 4 inch dump valve, 3 inch fill-port, primary and secondary valves.	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Vacuum Pump cover	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Muffler: 76 mm (3 inch) Oil Catch type Muffler	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Sturdy ball valve hose	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY
Remove Insulated valve boxes	YES <input type="checkbox"/> NO <input type="checkbox"/>	MANDATORY